

Page 1 of 13

Report No.: LCS220105140AR

# **Verification Report**

Applicant	:	Deshun Smart Technology Co., Ltd.	
Address	:	No. 39, Dongqi Highway, Zhangjiagang City, Jiangsu, China	
Report on the submitte	d sa	mples said to be:	
Sample Name(s)	ab:	LED exit emergency light	
Trade Mark	:	N/A	
Part No.	:	DS-ES-01M, DS-ES-02M, DS-ES-03M, DS-ES-04M, DS-ES-05M, DS-ES-06M, DS-ES-01S, DS-ES-02S, DS-ES-03S, DS-ES-04S, DS-ES-05S, DS-ES-06S	
Sample Received Date	:	August 05, 2022	
Testing Period	:	August 05, 2022 ~ August 17, 2022	
Date of Report	:	August 17, 2022	
Results	:	Please refer to next page(s).	

# **TEST REQUEST**

As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

Signed for and on behalf of LCS

**CONCLUSION** 

Young/Laboratory Manager





#### **Results:**

## A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample	Sample		Date of sample					
No.	Description	Cd	Pb	Hg	Cr♥	B PBBs	r▼ PBDEs	submission/ Resubmission
1	White plastic parts	BL	BL	BL	BL	BL	BL	2022-08-05
2	Silver metal screw	BL	BL	BL	BL	/	/	2022-08-05
3	White label	BL	BL	BL	BL	BL	BL	2022-08-05
4	White label	BL	BL	BL	BL	BL	BL	2022-08-05
5	Silver label	BL	BL	BL	BL	BL	BL	2022-08-05
6	White plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
7	White paper	BL	BL	BL	BL	BL	BL	2022-08-05
8	Transparent plastic plate	BL	BL	BL	BL	BL	BL	2022-08-05
9	Transparent film	BL	BL	BL	BL	BL	BL	2022-08-05
10	Blue plastic thread cover	BL	BL	BL	BL	BL	BL	2022-08-05
11	Silver metal tin head	BL	🚯 BL	BL	BL	m BQ /3	/	2022-08-05
12	Silver metal core	BL	BL	BL	BL	sting Yab	/	2022-08-05
13	Brown plastic thread	BL	BL	BL 💧	BL	BL	BL	2022-08-05
14	White plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
15	White metal aluminum plate	BL	BL	BL	BL	/	/	2022-08-05
16	Yellow plastic patch LED lamp	BL	BL	BL	BL	BL	BL	2022-08-05
17	Black plastic thread	BL	BL	BL	BL	BL	BL	2022-08-05
18	Silver metal core	BL	BL	BL	BL	/	/	2022-08-05
19	Red plastic thread cover	BL	BL	BL	BL	BL	BL	2022-08-05
20	White plastic terminal	BL	BL	BL	BL	BL	BL	2022-08-05
21	Silver metal contact	BL	BL	BL	BL	/		2022-08-05
22	Black rubber block	BL	BL	BL	BL	BL	BL	2022-08-05
23	White plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
24	White plastic sheet	BL	BL	BL	BL	BL	BL	2022-08-05
25	Silver metal block	BL	BL	BL	BL	/	/	2022-08-05
26	Silver metal contact	BL	BL	BL	BL	/	/	2022-08-05
27	Black plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
28	Silver metal aluminum shell	BL	BL	BL	BL	THE A	/	2022-08-05



Shenzhen LCS Compliance Testing Laboratory Ltd.

Cos Testin				Res	ults			Date of sample
Sample No.	Sample Description	Cł	DL			Br▼		submission/
110.	Description	Cd	Pb	Hg	Cr♥	PBBs	PBDEs	Resubmission
29	Scotch tape	BL	BL	BL	BL	BL	BL	2022-08-05
30	Yellow wet paper	BL	BL	BL	BL	BL	BL	2022-08-05
31	Silver gray metal sheet	BL	BL	BL	BL	/	/	2022-08-05
32	Black rubber pad	BL	BL	BL	BL	BL	BL	2022-08-05
33	Silver metal pin	BL	BL	BL	BL	/	/	2022-08-05
34	Gray plastic capacitor	BL	BL	BL	BL	BL	BL	2022-08-05
35	Blue plastic capacitor	BL	BL	BL	BL	BL	BL	2022-08-05
36	Brown plastic chip capacitor	BL	BL	BL	BL	BL	BL	2022-08-05
37	Black plastic chip	BL	BL	BL	BL	BL	BL	2022-08-05
38	Black plastic diode	BL	BL	BL	BL	BL	BL	2022-08-05
39	Black plastic patch resistor	BL	BL	BL	BL	BL	BL	2022-08-05
40	White plastic interface	BL	BL	BL	BL	BL	BL	2022-08-05
41	White plastic lamp body	BL	BL	BL	BL	BL	BL	2022-08-05
42	Silver metal pin	BL	BL	BL	BL	MRG/2	/	2022-08-05
43	Black plastic triode	BL	BL	BL	BL	BL	BL	2022-08-05
44	Gold metal spring	BL	BL	BL	BL	/	/	2022-08-05
45	Silver label	BL	BL	BL	BL	BL	BL	2022-08-05
46	Silver metal cover	BL	BL	BL	BL	/	/	2022-08-05
47	Black plastic body	BL	BL	BL	BL	BL	BL	2022-08-05
48	Red plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
49	Green plastic PCB	BL	BL	BL	BL	BL	BL	2022-08-05
50	Silver metal solder	BL	BL	BL	BL	/	/	2022-08-05
E	立讯检测股份 LCS Testing Lab		立讯 LCS	位测肢份 resting Lab	)		LCS	金测度份 resting Lab



Shenzhen LCS Compliance Testing Laboratory Ltd. Add: F&G, 23/F, Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



立讯检测股份



Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- $3\sigma$ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.

3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





るド\*

<b>RoHS Restricted Substances</b>	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



## B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

## PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

#### 1) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

1) The test results of Phthalates(DBP, BBP, DEHP & DIBP)						
Tested Items	MDL	Results (mg/kg)	Limit			
	(mg/kg)	1+3+4+5+6+7	(mg/kg)			
Dibutyl Phthalate(DBP) Content	600	N.D.	1000			
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000			
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000			
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000			

Tested Items	MDL (mg/kg)	<b>Results</b> (mg/kg) 8+9+10+13+14+16	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000





	Page 7 of 13	Report No.: LCS2	20105140AR	
Tested Items	MDL	Results (mg/kg)	Limit	
	(mg/kg)	17+19+20+22+23+24	(mg/kg)	
Dibutyl Phthalate(DBP) Content	600	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000	

Tested Items	MDL (mg/kg)	<b>Results</b> (mg/kg) 27+29+30+32+34+35	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	<b>Results</b> (mg/kg) 36+37+38+39+40+41	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL	Results (mg/kg)	Limit (mg/kg)	
trested reality	(mg/kg)	43+45+47+48+49		
Dibutyl Phthalate(DBP) Content	600	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000	





Page 8 of 13


LA S

Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.

# **Test Process**


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




# 2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV







4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015













Page 10 of 13

# The photo(s) of the sample
















Shenzhen LCS Compliance Testing Laboratory Ltd. Add: F&G, 23/F, Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity

立讯检测股份

立讯检测股份



Page 13 of 13

#### Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the English version shall prevail.

\*\*\* End of Report \*\*\*



