

Page 1 of 13 Report No.: LCS220105141AR

Verification Report

Applicant : Deshun Smart Technology Co., Ltd.

Address : No. 39, Dongqi Highway, Zhangjiagang City, Jiangsu, China

Report on the submitted samples said to be:

Sample Name(s) : LED emergency light

Trade Mark : N/A

Part No. : DS-EL-01M, DS-EL-02M, DS-EL-04M, DS-EL-01S, : DS-EL-02M, DS-EL-04M, DS-EL-01S,

DS-EL-02S, DS-EL-03S, DS-EL-04S

Sample Received Date : August 05, 2022

Testing Period : August 05, 2022 ~ August 17, 2022

Date of Report : August 17, 2022

Results : Please refer to next page(s).

CONCLUSION
PASS

Signed for and on behalf of LCS

Young/Laboratory Manager








Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample No.	Sample	Sample					Date of sample	
	Description	Cd	Pb	Hg	Cr▼	Br♥		submission/
	T 4 1 4	ou -				PBBs	PBDEs	Resubmission
1	Transparent plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
2	White rubber ring	BL	BL	BL	BL	BL	BL	2022-08-05
3	White plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
4	Silver metal sheet	BL	BL	BL	BL	/	100	2022-08-05
5	Silver label	BL	BL	BL	BL	BL	BL	2022-08-05
6	White label	BL	BL	BL	BL	BL	BL	2022-08-05
7	White label	BL	BL	BL	BL	BL	BL	2022-08-05
8	Silver metal screw	BL	BL	BL	BL	/	/	2022-08-05
9	Silver metal screw	BL	BL	BL	BL	/	/	2022-08-05
10	Silver metal nut	BL	BL	BL	BL	/	/	2022-08-05
11	White plastic plate	BL	BL	BL	BL	BL	BL	2022-08-05
12	Yellow plastic patch LED lamp	BL	BL	BL	BL	BL	BL	2022-08-05
13	White metal aluminum plate	BL	BL	BL	BL	/	/	2022-08-05
14	White plastic block	BL	BL	BL	BL	BL	BL	2022-08-05
15	Silver metal solder	BL	BL	BL	BL	/	/	2022-08-05
16	Black plastic thread	BL	BL	BL	BL	BL	BL	2022-08-05
17	Silver metal core	BL	BL	BL	BL	/	/	2022-08-05
18	Red plastic thread cover	BL	BL	BL	BL	BL	BL	2022-08-05
19	White plastic terminal	BL	BL	BL	BL	BL	BL	2022-08-05
20	Silver metal contact	BL	BL	BL	BL	/	在讯	2022-08-05
21	Blue plastic thread cover	BL	BL	BL	BL	BL	BL	2022-08-05
22	Pink plastic thread skin	BL	BL	BL	BL	BL	BL	2022-08-05
23	Copper colored metal core	BL	BL	BL	BL	/	/	2022-08-05
24	White plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
25	White plastic sheet	BL	BL	BL	BL	BL	BL	2022-08-05
26	Silver metal block	BL	BL	BL	BL	/	/	2022-08-05
27	Silver metal contact	BL	μ≳ BL	BL	BL	-0/4	/	2022-08-05
28	Black plastic thread	BL	BL	BL	BL	BL	BL	2022-08-05













Till Testin	Committee Visit	Results Results						Date of sample
Sample No.	Sample Description	Cd Pb		Hg	Cr▼	В	Br▼	submission/
110.	Description	Cu	ΓU	ng	Cr	PBBs	PBDEs	Resubmission
29	Silver metal tin head	BL	BL	BL	BL	/	/	2022-08-05
30	Silver metal core	BL	BL	BL	BL	/	/	2022-08-05
31	Blue plastic thread cover	BL	BL	BL	BL	BL	BL	2022-08-05
32	Black plastic shell	BL	BL	BL	BL	BL	BL	2022-08-05
33	Silver metal aluminum shell	BL	BL	BL	BL	/	/	2022-08-05
34	Scotch tape	BL	BL	BL	BL	BL	BL	2022-08-05
35	Yellow wet paper	BL	BL	BL	BL	BL	BL	2022-08-05
36	Silver gray metal sheet	BL	BL	BL	BL	/	1	2022-08-05
37	Black rubber pad	BL	BL	BL	BL	BL	BL	2022-08-05
38	Silver metal pin	BL	BL	BL	BL	/	/	2022-08-05
39	Gray plastic capacitor	BL	BL	BL	BL	BL	BL	2022-08-05
40	Blue plastic capacitor	BL	BL	BL	BL	BL	BL	2022-08-05
41	Black plastic chip	BL	BL	BL	BL	BL	BL	2022-08-05
42	Black plastic chip	BL	BL	BL	BL	BL	BL	2022-08-05
43	Black plastic patch resistor	BL	ra/BL	BL	BL	BL	BL	2022-08-05
44	White plastic interface	BL	BL	BL	BL	BL	BL	2022-08-05
45	White plastic lamp body	BL	BL	BL	BL	BL	BL	2022-08-05
46	Silver metal pin	BL	BL	BL	BL	/	/	2022-08-05
47	Gold metal spring	BL	BL	BL	BL	/	/	2022-08-05
48	Silver label	BL	BL	BL	BL	BL	BL	2022-08-05
49	Black plastic body	BL	BL	BL	BL	BL	BL	2022-08-05
50	Green plastic PCB	BL	BL	BL	BL	BL	BL	2022-08-05

Page 3 of 13







Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Нд	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.



Shenzhen LCS Compliance Testing Laboratory Ltd. Add: F&G. 23/F. Technology Building. Quanzhi Scien.



Page 5 of 13 Report No.: LCS220105141AR

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.













B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP &DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Phthalates(DBP, BBP, DEHP &DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg) 1+2+3+5+6+7	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) 11+12+14+16+18+19	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000





Page 7 of 13 Report No.: LCS220105141AR

Tested Items	MDL (mg/kg)	Results (mg/kg) 21+22+24+25+28+31	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items Caresting Lab	MDL	Results (mg/kg)	Limit	
rested rems	(mg/kg)	32+34+35+37+39+40	(mg/kg)	
Dibutyl Phthalate(DBP) Content	600	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000	

Tested Items	MDL	Results (mg/kg)	Limit
LOS Testing	(mg/kg)	41+42+43+44+45+48	(mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) 49+50	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: F&G, 23/F, Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com | Scan code to check authenticity




Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.

Test Process


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV




3. Hexavalent Chromium(Cr(VI))











4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP): IEC 62321-8:2017

















The photo(s) of the sample










Page 11 of 13

Report No.: LCS220105141AR






Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: F&G, 23/F, Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



Page 12 of 13





49

48



45-46





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: F&G, 23/F, Technology Building, Quanzhi Science and Technology Innovation Park, Industrial Building, Maozhoushan Industrial Park, Houting, Shajing Street, Bao'an District, Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the English version shall prevail.

*** End of Report ***





